



<b>Version</b>	:	3.1.1.4
<b>Revision</b>	:	2
<b>Website</b>	:	<a href="http://www.kayako.com">www.kayako.com</a>
<b>Forums</b>	:	<a href="http://forums.kayako.com">http://forums.kayako.com</a>
<b>Support</b>	:	<a href="http://support.kayako.com">http://support.kayako.com</a>
<b>Editorial</b>	:	<a href="mailto:docs@kayako.com">docs@kayako.com</a>

Kayako InstaAlert

User Manual

## About this manual

This version of the manual can be used as a guide for many other proceeding and proceeding versions of Kayako InstaAlert. However, please note that feature discrepancies may exist between versions.

We publish a new and up to date manual upon the release of each stable build. For accuracy, be sure to use the manual(s) bundled with your downloaded SupportSuite package.

If you would like to send in a suggestion or report any errors in this manual, please send an e-mail to [docs@kayako.com](mailto:docs@kayako.com) or post in the documentation forum - your input is very much appreciated. Please do **not** use this address for support.

You can obtain further support for any of Kayako's products via:

- **Support desk** – [www.kayako.com/support](http://www.kayako.com/support)
- **Community forums** – <http://forums.kayako.com>

## Contents

<b>About this manual .....</b>	<b>2</b>
Contents	3
<b>Introduction to Kayako InstaAlert.....</b>	<b>5</b>
InstaAlert feature list	6
InstaAlert Pro feature list	7
InstaAlert and InstaAlert Pro Comparison	8
<b>Downloading InstaAlert .....</b>	<b>9</b>
Locating the InstaAlert set up files	10
Getting the latest version	11
<b>Installation Guide.....</b>	<b>12</b>
Step one	13
Step two: License agreement	14
Step three: Component selection	15
Step four: Installation location	16
Step five: Completion	17
<b>First-time Configuration Guide .....</b>	<b>18</b>
Step one	19
Step two: Authentication details	20
Step three: General settings	21
Step four: Alerts	22
Step five: Language	23
<b>Configuration &amp; Options .....</b>	<b>24</b>
Accessing the options panel	25
Options: General	26
Options: Network	28
Options: Alerts	29
Options: Languages	31
Options: Startup	32
<b>Upgrading to InstaAlert Pro .....</b>	<b>33</b>
Step one: Generating your device identification number	34
Step two: Generating the serial number	35

<b>Support resources .....</b>	<b>36</b>
Frequently asked questions and tasks	37
How can I make InstaAlert start up automatically when I log in to Windows?	38
How do I add a new language pack to InstaAlert?	39
How do I write a new language pack for InstaAlert?	40
What is the 'department tree' that is only available in InstaAlert Pro?	41
How can I change the frequency InstaAlert polls for ticket updates?	42
How can I tell what version of InstaAlert I am running?	43
My serial number is no longer working – what is wrong?	44
How do I view the event log?	45
Error messages explained	46
Event logger	47
Error: "The server returned an error response"	48
Error: "Unknown error"	49
Error: "Received unexpected response from server (invalid header)"	50
Error: "The session has expired"	51
Error: "Failed to connect to server"	52
Error: "Connection to the server timed out"	53
Error: "Authentication has failed"	54
Error: "HTTP request has failed"	55

## Introduction to Kayako InstaAlert

Kayako InstaAlert is an application for Windows® (*Microsoft® Corporation*) that communicates with your installation of **SupportSuite** or **eSupport**; monitoring for new tickets and ticket updates such as a new client reply.

The application is available in two versions:

- Kayako InstaAlert – free product
- Kayako InstaAlert Pro – commercial product

Despite being available in two versions, only **one version** of the actual program is available. From this one program, the “Pro” version can be **unlocked** as described in: [upgrading to InstaAlert Pro](#).


InstaAlert can be configured to alert you in a variety of ways, including:

- Simple small pop-up notifications
- Sound notifications
- Blinking system tray icons

InstaAlert allows for direct access to updated tickets from your desktop by clicking on notification messages.

If **Kayako LiveResponse Client Application** is installed, InstaAlert can be used in conjunction with this to open up tickets within WinApp.


## InstaAlert feature list



Above: InstaAlert without the [department tree](#) showing (a feature available only in the [InstaAlert Pro](#) version).

- Fetches live ticket updates from eSupport and SupportSuite.
  - New ticket arrival notifications.
  - New client reply notifications.
- Users use their eSupport or SupportSuite login information with InstaAlert.
  - Users only receive updates for departments they have permissions to access.
- Application can be minimized and controlled via the system tray.
- Notifications methods can be customized using:
  - Animated icons.
  - Pop-up notifications.
  - Sounds.
- Supports multiple languages.
- Ability to connect via a network proxy.
- Automatic program start and login options available.

## InstaAlert Pro feature list



Above: Example of the department tree, available only in the **Pro** version of InstaAlert.

- Fetches live ticket updates from eSupport and SupportSuite.
  - New ticket arrival notifications.
  - New client reply notifications.
- Users use their eSupport or SupportSuite login information with InstaAlert.
  - Users only receive updates for departments they have permissions to access.
- Application can be minimized and controlled via the system tray.
- Notifications methods can be customized using:
  - Animated icons.
  - Pop-up notifications.
  - Sounds.
- Supports multiple languages.
- Ability to connect via a network proxy.
- Automatic program start and login options available.
- InstaAlert Pro features:
  - [View the departmental tree from within InstaAlert.](#)
  - [View the number of tickets within each department according to their status.](#)
  - [Highlight departments with new ticket updates.](#)
  - [Access departments within eSupport or SupportSuite from within InstaAlert.](#)

## InstaAlert and InstaAlert Pro Comparison

This table outlines the differences between the two versions.

	<b>InstaAlert</b>	<b>InstaAlert Pro</b>
Requires a license	No	Yes
View department tree	No	<b>Yes</b>
Access departments from within InstaAlert	No	<b>Yes</b>
Highlight departments holding with updated tickets	No	<b>Yes</b>
View the number of tickets according to their status	No	<b>Yes</b>

## Downloading InstaAlert

## Locating the InstaAlert set up files

This InstaAlert set up files can be found in the archive of **eSupport** or **SupportSuite** that is available for downloaded from the member's area (<http://members.kayako.net>), as shown below.

Order ID	Product	Date
GFS79510562	SupportSuite Owned	05 Jan 2007


  

Filename	Build Stat
supportsuite.3.04.10.stable.ioncubeopen.tar.gz	STABLE
supportsuite.3.04.10.stable.zendopen.tar.gz	STABLE

License Key
Download License Key (key.php) Expires: 04 Jul 2007

The InstaAlert setup files will be found in the folder `\instaalert\` of the **.tar.gz** archive, as shown below.



## Getting the latest version

The latest stable version of InstaAlert can be downloaded from <http://hotfix.kayako.net>. It is recommended you download a copy from this location, so that you can be sure you have the most up-to-date release.

# Installation Guide


## Step one

After [downloading the latest version](#) of the InstaAlert software, run **Setup.exe**. This will bring up a window similar to the following.



Press the **Next** button to continue.


## Step two: License agreement



Review the license agreement and accept the terms as appropriate.

Press the **Next** button to continue.

## Step three: Component selection




Configure the installation options as appropriate.

- **Program Files** – this option is required for the installation of InstaAlert. The Program Files consist of the core files needed for InstaAlert to function.
- **Start Menu Shortcuts** – this is optional. Enabling this option will install a shortcut to the InstaAlert program in the Start Menu.

Press the **Next** button to continue.

## Step four: Installation location




- **Destination Folder** – the location within the file system where the InstaAlert program files are to be installed.

It is recommended you leave the Destination Folder setting as what is given as default – normally within the '**Program Files**' folder.

Press **Install** to proceed with the installation. The InstaAlert program files will now be installed onto the system and configured. This process is automatic.

## Step five: Completion

After the automatic installation procedure has taken place, you will be presented with the following finishing screen.



The installation is now complete. Leaving the **Run InstaAlert** box ticked will launch InstaAlert immediately after you have pressed the **Finish** button.


Press the **Finish** button to finishing the installation and close this window.

## First-time Configuration Guide

The first-time configuration process is a procedure that you are taken through following the first run of the InstaAlert program. The wizard will take you through the basic configurations required to get InstaAlert up and running.

## Step one

If this is the first time you have run InstaAlert, you will be presented with the first screen of the first-time setup wizard. This wizard will guide you through the steps necessary to customize the installation and connect to your eSupport or SupportSuite installation.



Press the **Next** button to continue.

## Step two: Authentication details

The screenshot shows a Windows-style dialog box titled "InstaAlert : Setup (Step 2 of 5)". The dialog has a blue title bar with a yellow warning icon on the left and a red close button on the right. The main content area has a grey header "Authentication" and a white box titled "Authentication Settings". Inside this box are four input fields: "InstaAlert URL:" (with a text box and the example "(Example: http://domain.com/support/)"), "User Name:", "Password:", and "Confirm password:". At the bottom of the dialog are three buttons: "< Back", "Next >", and "Cancel".


- **InstaAlert URL** – this is the location of the eSupport or SupportSuite installation. If you have installed the support software at <http://www.joeblogs.com/support/>, then enter this as the InstaAlert URL.

The InstaAlert URL **should not** be the URL of your staff or admin control panel. It should be the location in which you have installed eSupport or SupportSuite – i.e. the location to which your users browse to in order to access your support desk.

- **User Name** – this is your username and password that you use to login to the **staff control panel** of the eSupport or SupportSuite installation.
- **Password** – this is the password you use in conjunction with your username as detailed above.

Press the **Next** button to continue.


## Step three: General settings



- **Show alert when XML refresh fails** – the “XML Refresh” is a function that connects to the eSupport or SupportSuite installation and retrieves updated ticket information (new replies and new tickets). If this was to fail for some reason (such as your web server becoming unreachable), you will be notified if this option is enabled.
- **Retrieve ticket data every X minutes** – the interval in minutes between each data refresh, as described above.
- **Minimize on Startup** – enable this option to have InstaAlert minimize itself to the system tray whenever the program starts up.
- **Start with Windows** – enable this option to have InstaAlert start every time Windows loads.
- **Log in on Startup** – enable this option to have InstaAlert log in to the support desk and retrieve data as soon as the program starts up.

Press the **Next** button to continue.


## Step four: Alerts



- **Enable pop-up alerts** – enabling this option will pop-up a small window in the bottom right-hand corner of your screen when a new ticket or reply arrives.
- **Play alert sound** – enabling this option will play a short notification sound whenever an alert occurs.
- **Sound File** – the location of the file used to draw attention to an alert, as described above.

Press the **Next** button to continue.

## Step five: Language



Which language pack InstaAlert will use is configured here.

By default, the only language pack for InstaAlert bundled with the installation files is the default **English (U.S.)** language file.

Press the **Finish** button to complete the configuration and start using InstaAlert.

## Configuration & Options

## Accessing the options panel

The options dialog is accessible by following these steps:

1. Click on the **Tools menu**.
2. Click on the **Options** menu choice.

This will bring up the options dialog:

**InstaAlert - Options**

General | Network | Alerts | Startup | Language | About

**Authentication**

InstaAlert URL:   
(Example: http://domain.com/support/)

User Name:

Password:

Confirm password:   
(Leave blank for no change)

**Other**

Retrieve ticket data every  minutes

Automatically expand department entries

Show alert when XML refresh fails

Open web pages in LiveResponse/SupportSuite client

OK Cancel Apply

## Options: General

**InstaAlert - Options**

General | Network | Alerts | Startup | Language | About

**Authentication**

InstaAlert URL:   
 (Example: http://domain.com/support/)

User Name:

Password:

Confirm password:   
 (Leave blank for no change)

**Other**

Retrieve ticket data every  minutes

Automatically expand department entries

Show alert when XML refresh fails


Open web pages in LiveResponse/SupportSuite client

OK Cancel Apply

- **InstaAlert URL** – this is the location of the eSupport or SupportSuite installation. If you have installed the support software at <http://www.joeblogs.com/support/>, then enter this as the InstaAlert URL.


The InstaAlert URL **should not** be the URL of your staff or admin control panel. It should be the location in which you have installed eSupport or SupportSuite – i.e. the location to which your users browse to in order to access your support desk.

- **User Name** – this is the username and password that you use to login to the **staff control panel** of the eSupport or SupportSuite installation.
- **Password** – this is the password you use in conjunction with your username as detailed above.
- **Retrieve ticket data every X minutes** – the interval in minutes between each time InstaAlert polls the eSupport or SupportSuite installation for new ticket and reply data.
- **Show alert when XML refresh fails** – should InstaAlert fail to poll new ticket and reply data, an error message will be displayed that looks similar to the following:



- **Open web pages in LiveResponse/SupportSuite client** – this option is only applicable if you have a SupportSuite license and are running the LiveResponse WinApp. When left unchecked, clicking on a new ticket alert (for example) will open up your staff control panel in your system's default web browser.


## Options: Network




If connection to your eSupport or SupportSuite installation through a proxy is required, the proxy settings can be enabled and configured here.

Normally, users operating from a regular home or office network need not configure any proxy settings.

## Options: Alerts




- **Enable pop-up alerts** – enabling this option will display a small alert in the bottom right-hand corner of your screen indicating a new ticket or new ticket reply, as shown below. Clicking this alert will option up the ticket in a browser window (or LiveResponse application, depending on your configuration in [Options: General](#)).



- **Play alert sound** – a notification sound is enabled by default, along with the pop-up alert.
- **Alert display time** – The time in seconds (or 0 for infinity) that the pop-up alert (if [enabled](#)) will be displayed for.


- **Blink tray icon for X seconds** – the InstaAlert system tray icon will blink for a certain amount of time when a new alert needs attending to. To disable the blinking of the icon, uncheck the box.
- **Stop blinking when an alert is manually closed** – enabling this option will stop the system tray icon from blinking after the pop-up notification has either been closed or clicked on.

## Options: Languages



Which language file InstaAlert will load its phrases from is configured in this dialog, as shown above.

## Options: Startup



- **Minimize on Startup** – InstaAlert will automatically minimize itself to the **system tray** when this option is enabled.
- **Start with Windows** – InstaAlert will start up automatically when you log in to Windows if this option is enabled.
- **Log in on Startup** – on start up, InstaAlert will log itself into the configured support desk URL using the username and password entered in the [Options: General](#) dialog.

## Upgrading to InstaAlert Pro

## Step one: Generating your device identification number

On starting up InstaAlert, you will be presented with a window similar to the following:



Click on the **Click Here To Register** link. This will bring up a window similar to the following:



An InstaAlert Pro license is valid for **one machine only**.

Therefore, your machine has to be identified in order to produce a serial number that is unique to your system. This is your **Device ID**. Press the **Copy Device ID to clipboard** to copy your device ID and proceed to [Step two: Generating the serial number](#).

## Step two: Generating the serial number

Browse and log in to your **members area** on the Kayako web site: <http://members.kayako.net>

If you are yet to purchase an InstaAlert Pro machine license, do so by clicking on the orange **Purchase** tab. After completing your purchase, return to this stage.

1. On your license overview page, an option and a field that allows you to **generate your InstaAlert Pro** serial number should be visible.
2. Paste your **device ID** (generated and copied in [Step one: Generating your device identification number](#)) into the field and submit it. Then should your serial number for InstaAlert Pro be visible.
3. Copy the serial number and return to the **Register** dialog from which you generated the device ID.
4. Paste the serial number into the empty field (as shown below).
5. Press the **OK** button.

**InstaAlert - Register**

Enter the serial number you received from our website, and press OK to complete the registration process. Alternately, if you don't have a serial number, you can acquire one by clicking on the following link:

<https://members.kayako.net/>

---

Device ID: 6FCB48E8-A8A26D1A-634C8BCA-03435FE3

-- your serial number --

Copy Device ID to clipboard    Cancel    OK

If unlocking InstaAlert (upgrading to InstaAlert Pro) was successful, the following dialog will be displayed:

**InstaAlert - Successfully Registered**

Thank you for registering! You need to re-start InstaAlert to access unlocked features. Would you like to automatically re-start InstaAlert now?

Yes    No

If unlocking was unsuccessful (i.e. your serial number was reported as invalid), make sure that you copied it correctly from the member's area. If the problem still persists, please [contact support](#).

## Support resources

If you would like to send in a suggestion or report any errors in this manual, please send an e-mail to [docs@kayako.com](mailto:docs@kayako.com) or post in the documentation forum - your input is very much appreciated. Please do **not** use this address for support.

You can obtain further support for any of Kayako's products via:

- **Support desk** – [www.kayako.com/support](http://www.kayako.com/support)
- **Community forums** – <http://forums.kayako.com>

## Frequently asked questions and tasks


## How can I make InstaAlert start up automatically when I log in to Windows?

This functionality can be configured in the [Options: Startup](#) dialog.

## How do I add a new language pack to InstaAlert?

To install a new language pack for InstaAlert (you should have already downloaded your **Language.xml** file or [created your own](#)), copy the file into the **C:\Program Files\Kayako\InstaAlert\Lang** (or where the InstaAlert program files are installed).

Now configure InstaAlert to use the new language pack in the [Options: Languages](#) dialog.




If copied correctly you should now be able to select your new language file using the drop down menu, as shown above.

## How do I write a new language pack for InstaAlert?

The words and phrases InstaAlert uses are all stored in an XML file located in the **\Lang\** folder of your InstaAlert installation path (what was set during the installation process: [Step four: Installation location](#)).

To create a new language pack, create a copy of **Default.xml** and name it accordingly (such as **Spanish.xml**).



Open up the file. You will be presented with XML markup similar to the following:

```
<code>Code</code>
<title>English (U.S.)</title>
<rtl>>false</rtl>
```

It is this markup that needs to be modified in order to create a new language pack. Begin by configuring the Code, Title and RTL properties of the XML file.

- **Code** – should be left as “Code”.
- **Title** – the title given to your language pack (this is the title that will be displayed when selecting a language pack from within InstaAlert as in [Options: Languages](#)).
- **RTL** – whether or not the language contained in this file is a **right-to-left** language and character set such as Hebrew.


Once this basic configuration of the language file has been complete, you can now start translating the phrases, as described below.

```
<string id="IDS_MAINWNDTITLE">Kayako InstaAlert</string>
<string id="IDS_APPNAME">InstaAlert</string>
<string id="IDS_ERRMSGTITLE">InstaAlert - Error</string>
<string id="IDS_INFMSGTITLE">InstaAlert - Information</string>
```

The “**id**” of the phrase should not be changed. This is the ID InstaAlert uses to reference these phrases. The only text that should be changed is highlighted in **red** – all other markup should be left alone.

## What is the 'department tree' that is only available in InstaAlert Pro?

Below is a screen-shot of the department tree. This tree shows all of the departments the logged in user has access to, their ticket count and whether or not there are updated tickets within the department.



The department names are clickable. Clicking one will take you directly to the list of tickets for that department. If **Kayako LiveResponse WinApp** is installed, InstaAlert [can be configured](#) to open these pages from within the WinApp instead of your default web browser.

## How can I change the frequency InstaAlert polls for ticket updates?

How frequently InstaAlert polls for new data can be configured in the [Options: General](#) dialog.

## How can I tell what version of InstaAlert I am running?

1. Click on the **Help** menu.
2. Click on the **About** menu choice.

This will bring up the **about box** (as shown below) which will detail what version of InstaAlert you are running.



## My serial number is no longer working – what is wrong?

Your serial number is specific to your **device ID** – an identification string generated that is specific to your computer system.

If you have made any changes to your system and have since reinstalled InstaAlert, this may cause your device ID to change and thus render your serial number invalid. If this is the case, please [contact support](#) explaining your situation.

## How do I view the event log?

Follow the steps outlined here in [event logger](#).

## Error messages explained


## Event logger

InstaAlert has an integrated event logging system and a log viewer. Most errors (among other events) are reported to this log.

To view the event log:

1. Click the **Tools** menu
2. Click the **Event Log** menu choice.

This will bring up a window similar to the following:



## Error: "The server returned an error response"

### Possible causes:

1. This error is most commonly caused by a *404 Not Found* error, a Forbidden error or any other **HTTP code** that is not 200 (the code for "successful").

### Potential solutions:

1. Check you have entered the correct path to your support desk in [Options: General](#).
2. Check the configuration of your web server (such as folder permissions, .htaccess permissions etc.).

## Error: "Unknown error"

### **Possible causes:**

1. Something has gone very wrong within the internals of InstaAlert.

### **Potential solutions:**

1. Restart the program. If the problem persists, make sure you have the latest stable build of InstaAlert (see [Getting the latest version](#)). If you do, please [contact support](#).

## Error: "Received unexpected response from server (invalid header)"

### Possible causes:

1. InstaAlert receives data it does not expect to receive.
2. Your support desk may be "down" and displaying an error message (such as a *MySQL error*).
3. Your support desk may be displaying a **license error**.
4. Your support desk may be reporting that the **setup** directory still exists.

### Potential solutions:

1. Ensure you are running the latest stable release of InstaAlert (see [Getting the latest version](#)).
2. Ensure your support desk is working properly.

## Error: "The session has expired"

### Possible causes:

1. When InstaAlert logs into your support desk, it creates an active session for your username. If this session is deleted or ended for any reason, this error will be generated.
2. A common cause of this error is that more than one copy of InstaAlert is being used to login to the same support desk – each one attempting an alternating login that interferes with the other's session.

### Potential solutions:

1. Ensure that no more than one copy of InstaAlert is being used to login to your support desk with the **same username**.

## Error: "Failed to connect to server"

### **Possible causes:**

1. You have entered an invalid host name in your support desk URL.
2. Your server is unavailable.

### **Potential solutions:**

1. Ensure that you have entered the correct support desk host name and URL in the [Options: General](#) dialog.
2. Check the connectivity of your server.

## Error: "Connection to the server timed out"

### **Possible causes:**

1. You have entered an invalid host name in your support desk URL.
2. Your server is unavailable.

### **Potential solutions:**

1. Ensure that you have entered the correct support desk host name and URL in the [Options: General](#) dialog.
2. Check the connectivity of your server.

## Error: "Authentication has failed"

### **Possible causes:**

1. You have entered the wrong username and password that InstaAlert is attempting to use to login to the support desk.

### **Potential solutions:**

1. Ensure that you have entered the correct username and password in the [Options: General](#) dialog.

## Error: "HTTP request has failed"

### **Possible causes:**

1. There was a problem in making the HTTP request to your support desk.

### **Potential solutions:**

1. Restart the program. If the problem persists, restart your machine. If the problem still persists, please [contact support](#).